

Track	
5100, H0 MÃ©rklin M, Curve radius 36cm, angle 30°	25
5106, H0 MÃ©rklin M, Straight 18cm.	62
5107, H0 MÃ©rklin M, Straight 9cm.	4
5108, H0 MÃ©rklin M, Straight 4.5cm.	1
5109, H0 MÃ©rklin M, Straight 3.35cm.	3
5110, H0 MÃ©rklin M, Straight 2.25cm.	1
5129, H0 MÃ©rklin M, Straight 7cm.	6
5141, H0 MÃ©rklin M, Left curved turnout 30° (remote)	1
5142, H0 MÃ©rklin M, Right curved turnout 30° (remote)	1
5200, H0 MÃ©rklin M, Curve radius 43.74cm, angle 30°	6
5201, H0 MÃ©rklin M, Curve radius 43.74cm, angle 15°	2
5203, H0 MÃ©rklin M, (5202L). Left turnout 18cm. 24°17' (remote)	5
5204, H0 MÃ©rklin M, (5202R). Right turnout 18cm. 24°17' (remote)	2
5205, H0 MÃ©rklin M, Curve radius 43.74cm, angle 5°43'	1
5206, H0 MÃ©rklin M, Curve radius 43.74cm, angle 24°17'	4
5207, H0 MÃ©rklin M, Double slipswitch 18cm. (remote)	1
5208, H0 MÃ©rklin M, Straight 0.8cm.	4
5210, H0 MÃ©rklin M, Straight 1.6cm.	2
5214, H0 MÃ©rklin M, Threeway turnout 18cm. (remote)	1
5223, H0 MÃ©rklin M, (5221R). Right turnout 18cm. 24°17' (manual)	1
7389, H0 MÃ©rklin K, Buffer/Bumper 3.8cm.	4

Objects

H0, Faller, 120158, Baywa Warehouse, Formerly Pola	1
H0, Kibri, 39371 / 9518, Bahnhof Calw	1

Track lengths

5100, H0 MÃ©rklin M, Curve radius 36cm, angle 30°	471.24
5106, H0 MÃ©rklin M, Straight 18cm.	1116
5107, H0 MÃ©rklin M, Straight 9cm.	36
5108, H0 MÃ©rklin M, Straight 4.5cm.	4.5
5109, H0 MÃ©rklin M, Straight 3.35cm.	10.05
5110, H0 MÃ©rklin M, Straight 2.25cm.	2.25
5129, H0 MÃ©rklin M, Straight 7cm.	42
5141, H0 MÃ©rklin M, Left curved turnout 30° (remote)	45.44
5142, H0 MÃ©rklin M, Right curved turnout 30° (remote)	45.44
5200, H0 MÃ©rklin M, Curve radius 43.74cm, angle 30°	137.41
5201, H0 MÃ©rklin M, Curve radius 43.74cm, angle 15°	22.9
5203, H0 MÃ©rklin M, (5202L). Left turnout 18cm. 24°17' (remote)	182.69
5204, H0 MÃ©rklin M, (5202R). Right turnout 18cm. 24°17' (remote)	73.08
5205, H0 MÃ©rklin M, Curve radius 43.74cm, angle 5°43'	4.36
5206, H0 MÃ©rklin M, Curve radius 43.74cm, angle 24°17'	74.15
5207, H0 MÃ©rklin M, Double slipswitch 18cm. (remote)	71.46
5208, H0 MÃ©rklin M, Straight 0.8cm.	3.2
5210, H0 MÃ©rklin M, Straight 1.6cm.	3.2
5214, H0 MÃ©rklin M, Threeway turnout 18cm. (remote)	55.08
5223, H0 MÃ©rklin M, (5221R). Right turnout 18cm. 24°17' (manual)	36.54
7389, H0 MÃ©rklin K, Buffer/Bumper 3.8cm.	0

Total track length: 24.37 m

Layers

Boucle supÃ©rieure

Track	
5100, H0 MÃ©rclin M, Curve radius 36cm, angle 30°	13
5106, H0 MÃ©rclin M, Straight 18cm.	12
5109, H0 MÃ©rclin M, Straight 3.35cm.	1
5200, H0 MÃ©rclin M, Curve radius 43.74cm, angle 30°	3
5205, H0 MÃ©rclin M, Curve radius 43.74cm, angle 5°43'	1
5208, H0 MÃ©rclin M, Straight 0.8cm.	2
5223, H0 MÃ©rclin M, (5221R). Right turnout 18cm. 24°17' (manual)	1

Objects	
H0, Kibri, 39371 / 9518, Bahnhof Calw	1

Track lengths	
5100, H0 MÃ©rclin M, Curve radius 36cm, angle 30°	245.04
5106, H0 MÃ©rclin M, Straight 18cm.	216
5109, H0 MÃ©rclin M, Straight 3.35cm.	3.35
5200, H0 MÃ©rclin M, Curve radius 43.74cm, angle 30°	68.71
5205, H0 MÃ©rclin M, Curve radius 43.74cm, angle 5°43'	4.36
5208, H0 MÃ©rclin M, Straight 0.8cm.	1.6
5223, H0 MÃ©rclin M, (5221R). Right turnout 18cm. 24°17' (manual)	36.54

Total track length: 5.76 m

Niveau 0	
Track	
5100, H0 MÃ©rclin M, Curve radius 36cm, angle 30°	12
5106, H0 MÃ©rclin M, Straight 18cm.	50
5107, H0 MÃ©rclin M, Straight 9cm.	4
5108, H0 MÃ©rclin M, Straight 4.5cm.	1
5109, H0 MÃ©rclin M, Straight 3.35cm.	2
5110, H0 MÃ©rclin M, Straight 2.25cm.	1
5129, H0 MÃ©rclin M, Straight 7cm.	6
5141, H0 MÃ©rclin M, Left curved turnout 30° (remote)	1
5142, H0 MÃ©rclin M, Right curved turnout 30° (remote)	1
5200, H0 MÃ©rclin M, Curve radius 43.74cm, angle 30°	3
5201, H0 MÃ©rclin M, Curve radius 43.74cm, angle 15°	2
5203, H0 MÃ©rclin M, (5202L). Left turnout 18cm. 24°17' (remote)	5
5204, H0 MÃ©rclin M, (5202R). Right turnout 18cm. 24°17' (remote)	2
5206, H0 MÃ©rclin M, Curve radius 43.74cm, angle 24°17'	4
5207, H0 MÃ©rclin M, Double slipswitch 18cm. (remote)	1
5208, H0 MÃ©rclin M, Straight 0.8cm.	2
5210, H0 MÃ©rclin M, Straight 1.6cm.	2
5214, H0 MÃ©rclin M, Threeway turnout 18cm. (remote)	1
7389, H0 MÃ©rclin K, Buffer/Bumper 3.8cm.	4

Objects	
H0, Faller, 120158, Baywa Warehouse, Formerly Pola	1

Track lengths	
5100, H0 MÃ©rclin M, Curve radius 36cm, angle 30°	226.19
5106, H0 MÃ©rclin M, Straight 18cm.	900
5107, H0 MÃ©rclin M, Straight 9cm.	36
5108, H0 MÃ©rclin M, Straight 4.5cm.	4.5
5109, H0 MÃ©rclin M, Straight 3.35cm.	6.7

5110, H0 MÃ©rclin M, Straight 2.25cm.	2.25
5129, H0 MÃ©rclin M, Straight 7cm.	42
5141, H0 MÃ©rclin M, Left curved turnout 30° (remote)	45.44
5142, H0 MÃ©rclin M, Right curved turnout 30° (remote)	45.44
5200, H0 MÃ©rclin M, Curve radius 43.74cm, angle 30°	68.71
5201, H0 MÃ©rclin M, Curve radius 43.74cm, angle 15°	22.9
5203, H0 MÃ©rclin M, (5202L). Left turnout 18cm. 24°17' (remote)	182.69
5204, H0 MÃ©rclin M, (5202R). Right turnout 18cm. 24°17' (remote)	73.08
5206, H0 MÃ©rclin M, Curve radius 43.74cm, angle 24°17'	74.15
5207, H0 MÃ©rclin M, Double slipswitch 18cm. (remote)	71.46
5208, H0 MÃ©rclin M, Straight 0.8cm.	1.6
5210, H0 MÃ©rclin M, Straight 1.6cm.	3.2
5214, H0 MÃ©rclin M, Threeway turnout 18cm. (remote)	55.08
7389, H0 MÃ©rclin K, Buffer/Bumper 3.8cm.	0
Total track length:	18.61 m
Connections	139