

Description	Tailles	Bouts
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(131.77, 295.71, 5), 270° (125.34, 295.71, 5), 90°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(131.78, 287.96, 5), 270° (125.35, 287.96, 5), 90°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(236.95, 336.66, 7.77), 270° (230.52, 336.66, 7.77), 90°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(236.95, 336.66, 7.77), 90° (243.38, 336.66, 6.38), 270°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(111.18, 295.71, 5), 90° (118.26, 295.71, 5), 270°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(111.19, 287.96, 5), 90° (118.27, 287.96, 5), 270°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(118.26, 295.71, 5), 90° (125.34, 295.71, 5), 270°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(118.26, 303.46, 5), 270° (111.18, 303.46, 5), 90°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(118.26, 303.46, 5), 90° (125.34, 303.46, 5), 270°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(118.27, 287.96, 5), 90° (125.35, 287.96, 5), 270°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(133.45, 303.07, 5), 270° (126.37, 303.07, 5), 90°
24071, H0 Märklin C, Rail droit 7.08cm.	7.08	(193.33, 242.04, 5), 324.3° (189.2, 247.79, 5), 144.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(161.53, 210.02, 22), 114.3° (170.11, 206.14, 22), 294.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(173.3, 213.21, 22), 294.3° (164.71, 217.09, 22), 114.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(178.69, 202.27, 23.14), 294.3° (170.11, 206.15, 22), 114.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(181.88, 209.33, 22.35), 294.3° (173.3, 213.21, 22), 114.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(298.93, 253.63, 3.01), 180° (298.93, 244.21, 2.65), 0°
24107, H0 Märklin C, Rail courbe rayon 36cm, angle 7.5°	4.71	(160.34, 273.88, 5), 322.5° (157.23, 277.42, 5), 135°
24115, H0 Märklin C, Rail courbe rayon 36cm, angle 15°	9.42	(149.78, 283.14, 5), 120° (157.23, 277.42, 5), 315°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(149.78, 283.14, 5), 300° (131.78, 287.96, 5), 90°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(75.19, 251.96, 5), 0° (80.01, 269.96, 5), 210°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(80.01, 233.96, 5), 150°

		(93.19, 220.79, 5), 300°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(80.01, 233.96, 5), 330° (75.19, 251.96, 5), 180°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(93.19, 220.79, 5), 120° (111.19, 215.96, 5), 270°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(93.19, 283.14, 5), 240° (80.01, 269.96, 5), 30°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(93.19, 283.14, 5), 60° (111.19, 287.96, 5), 270°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(183.18, 208.21, 5), 90° (200.35, 208.21, 5), 270°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(199.62, 246.57, 5), 144.3° (209.64, 232.62, 5), 324.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(200.35, 200.46, 5), 270° (183.18, 200.46, 5), 90°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(200.35, 200.46, 5), 90° (217.52, 200.46, 5), 270°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(203.35, 228.1, 5), 324.3° (193.33, 242.04, 5), 144.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(219.66, 218.68, 5), 324.3° (209.64, 232.62, 5), 144.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(164.71, 217.09, 22), 294.3° (147.55, 224.84, 20), 114.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(167.3, 277.49, 5), 144.3° (178.28, 262.2, 5), 324.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(178.28, 262.2, 5), 144.3° (189.27, 246.91, 5), 324.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(298.93, 253.63, 3.01), 0° (298.93, 272.46, 3.74), 180°
24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7°	4.35	(233.31, 206.32, 5), 120° (237.18, 204.34, 5), 294.3°
24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3°	18.56	(129.54, 228.71, 20), 90° (147.55, 224.84, 20), 294.3°
24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3°	18.56	(153.64, 289.85, 5), 120° (167.3, 277.49, 5), 324.3°
24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3°	18.56	(172.86, 283.81, 5), 324.3° (159.2, 296.17, 5), 120°
24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3°	18.56	(200.69, 225.15, 5), 300° (187.04, 237.51, 5), 144.3°
24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3°	18.56	(201.19, 212.09, 5), 294.3° (183.19, 215.96, 5), 90°
24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(172.86, 283.81, 5), 144.3° (186.24, 265.19, 5), 324.3°
24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(173.66, 256.13, 5), 324.3° (160.28, 274.75, 5), 144.3°

24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(186.24, 265.19, 5), 144.3° (199.62, 246.57, 5), 324.3°
24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(187.04, 237.51, 5), 324.3° (173.66, 256.13, 5), 144.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(111.18, 295.71, 5), 270° (89.3, 289.85, 5), 60°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(153.64, 289.85, 5), 300° (131.77, 295.71, 5), 90°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(243.38, 336.66, 6.38), 90° (265.25, 330.8, 5.5), 300°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(255.18, 200.46, 0), 90° (277.06, 206.32, 0.88), 240°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(281.27, 314.78, 4.62), 330° (265.25, 330.8, 5.5), 120°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(293.07, 222.34, 1.77), 210° (277.06, 206.32, 0.88), 60°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(298.93, 244.21, 2.65), 180° (293.07, 222.34, 1.77), 30°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(298.93, 272.46, 3.74), 0° (293.07, 294.34, 4.62), 150°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(30.96, 272.46, 15.97), 0° (36.83, 294.34, 15.08), 210°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(36.83, 250.59, 16.85), 330° (30.96, 272.46, 15.97), 180°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(48.63, 314.78, 15.08), 30° (64.64, 330.8, 14.2), 240°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(52.84, 234.57, 17.73), 120° (74.71, 228.71, 18.61), 270°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(52.84, 234.57, 17.73), 300° (36.83, 250.59, 16.85), 150°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(64.64, 330.8, 14.2), 60° (86.52, 336.66, 13.32), 270°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(73.29, 230.09, 5), 330° (67.43, 251.96, 5), 180°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(73.29, 273.84, 5), 210° (67.43, 251.96, 5), 0°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(73.29, 273.84, 5), 30° (89.3, 289.85, 5), 240°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(89.3, 214.07, 5), 120° (111.18, 208.21, 5), 270°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(89.3, 214.07, 5), 300° (73.29, 230.09, 5), 150°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(281.27, 314.78, 4.62), 150° (293.07, 294.34, 4.62), 330°

24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(36.83, 294.34, 15.08), 30° (48.63, 314.78, 15.08), 210°
24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30°	26.97	(159.2, 296.17, 5), 300° (133.45, 303.07, 5), 90°
24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30°	26.97	(66.58, 226.21, 5), 150° (85.43, 207.36, 5), 300°
24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30°	26.97	(66.58, 226.21, 5), 330° (59.68, 251.96, 5), 180°
24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30°	26.97	(66.58, 277.71, 5), 210° (59.68, 251.96, 5), 0°
24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30°	26.97	(85.43, 207.36, 5), 120° (111.18, 200.46, 5), 270°
24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30°	26.97	(85.43, 296.56, 5), 240° (66.58, 277.71, 5), 30°
24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30°	26.97	(85.43, 296.56, 5), 60° (111.18, 303.46, 5), 270°
24360, H0 Märklin C, Rail droit 36cm.	36	(111.19, 215.96, 5), 90° (147.19, 215.96, 5), 270°
24360, H0 Märklin C, Rail droit 36cm.	36	(147.18, 200.46, 5), 270° (111.18, 200.46, 5), 90°
24360, H0 Märklin C, Rail droit 36cm.	36	(147.18, 200.46, 5), 90° (183.18, 200.46, 5), 270°
24360, H0 Märklin C, Rail droit 36cm.	36	(147.18, 208.21, 5), 270° (111.18, 208.21, 5), 90°
24360, H0 Märklin C, Rail droit 36cm.	36	(147.19, 215.96, 5), 90° (183.19, 215.96, 5), 270°
24360, H0 Märklin C, Rail droit 36cm.	36	(158.52, 336.66, 10.54), 270° (122.52, 336.66, 11.93), 90°
24360, H0 Märklin C, Rail droit 36cm.	36	(161.53, 210.02, 22), 294.3° (128.72, 224.84, 20), 114.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(183.18, 208.21, 5), 270° (147.18, 208.21, 5), 90°
24360, H0 Märklin C, Rail droit 36cm.	36	(194.52, 336.66, 9.16), 270° (158.52, 336.66, 10.54), 90°
24360, H0 Märklin C, Rail droit 36cm.	36	(194.52, 336.66, 9.16), 90° (230.52, 336.66, 7.77), 270°
24360, H0 Märklin C, Rail droit 36cm.	36	(74.71, 228.71, 18.61), 90° (110.71, 228.71, 20), 270°
24360, H0 Märklin C, Rail droit 36cm.	36	(86.52, 336.66, 13.32), 90° (122.52, 336.66, 11.93), 270°
24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel)	37.39	(110.71, 228.71, 20), 90° (129.54, 228.71, 20), 270° (128.72, 224.84, 20), 294.3°
24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel)	37.39	(217, 215.74, 5), 300°

		(200.69, 225.15, 5), 120°
		(203.35, 228.1, 5), 144.3°
24611, H0 MÃ©rklin C, Aiguillage gauche 18.83cm. (manuel)	37.39	(217.52, 200.46, 5), 90°
		(218.35, 204.34, 5), 114.3°
		(236.35, 200.46, 5), 270°
24611, H0 MÃ©rklin C, Aiguillage gauche 18.83cm. (manuel)	37.39	(219.66, 218.68, 5), 144.3°
		(233.31, 206.32, 5), 300°
		(217, 215.74, 5), 120°
24611, H0 MÃ©rklin C, Aiguillage gauche 18.83cm. (manuel)	37.39	(237.18, 204.34, 5), 114.3°
		(255.18, 200.46, 0), 270°
		(236.35, 200.46, 5), 90°
24612, H0 MÃ©rklin C, Aiguillage droit 18.83cm. (manuel)	37.39	(200.35, 208.21, 5), 90°
		(201.19, 212.09, 5), 114.3°
		(218.35, 204.34, 5), 294.3°