

| Description | Tailles | Bouts |
|---|---------|--|
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (171.76, 47.55, 0), 144.5° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (173.47, 107.53, 0), 114.5° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (178.07, 52.06, 0), 144.5° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (182.66, 58.97, 0), 144.5° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (196.38, 126.14, 0), 90.2° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (270.1, 114.48, 0), 0.2° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (276.81, 114.99, 0), 0.2° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (45.59, 77.95, 0), 294.5° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (57.75, 94.38, 0), 318.5° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (66.12, 100.35, 0), 330.5° |
| 24001, H0 Märklin C, Butoir 0cm. | 0 | (75.54, 104.44, 0), 342.5° |
| 24064, H0 Märklin C, Rail droit 6.43cm. | 6.43 | (109.28, 82.98, 0), 0.2° (109.3, 89.41, 0), 180.2° |
| 24064, H0 Märklin C, Rail droit 6.43cm. | 6.43 | (109.28, 82.98, 0), 180.2° (109.26, 76.55, 0), 0.2° |
| 24064, H0 Märklin C, Rail droit 6.43cm. | 6.43 | (127.77, 33.34, 0), 90.2° (134.2, 33.31, 0), 270.2° |
| 24064, H0 Märklin C, Rail droit 6.43cm. | 6.43 | (159.54, 122.39, 0), 114.5° (165.39, 119.73, 0), 294.5° |
| 24064, H0 Märklin C, Rail droit 6.43cm. | 6.43 | (165.39, 119.73, 0), 114.5° (171.24, 117.06, 0), 294.5° |
| 24064, H0 Märklin C, Rail droit 6.43cm. | 6.43 | (208.15, 142.09, 0), 270.2° (201.72, 142.12, 0), 90.2° |
| 24064, H0 Märklin C, Rail droit 6.43cm. | 6.43 | (234.45, 32.96, 0), 90.2° (240.88, 32.94, 0), 270.2° |
| 24071, H0 Märklin C, Rail droit 7.08cm. | 7.08 | (215.23, 142.07, 0), 270.2° (208.15, 142.09, 0), 90.2° |
| 24077, H0 Märklin C, Rail droit 7.75cm. | 7.75 | (103.89, 126.47, 0), 270.2° (96.14, 126.49, 0), 90.2° |
| 24077, H0 Märklin C, Rail droit 7.75cm. | 7.75 | (217.16, 162.68, 0), 270.2° (209.41, 162.71, 0), 90.2° |
| 24077, H0 Märklin C, Rail droit 7.75cm. | 7.75 | (240.88, 32.94, 0), 90.2° (248.63, 32.91, 0), 270.2° |
| 24077, H0 Märklin C, Rail droit 7.75cm. | 7.75 | (88.39, 126.52, 0), 90.2° (96.14, 126.49, 0), 270.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (182.66, 58.97, 0), 324.5° (177.19, 66.64, 0), 144.5° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (198.45, 33.09, 0), 270.2° (189.03, 33.12, 0), 90.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (24.7, 105.7, 0), 180.2° (24.66, 96.28, 0), 0.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (249.04, 148.66, 0), 270.2° (239.62, 148.69, 0), 90.2° |

| | | |
|--|-------|--|
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (261.95, 156.66, 0), 120.2° (270.09, 151.92, 0), 300.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (283.22, 138.7, 0), 150.2° (287.9, 130.52, 0), 330.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (289.92, 134.8, 0), 150.2° (294.6, 126.63, 0), 330.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (292.6, 95.34, 0), 0.2° (292.63, 104.76, 0), 180.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (300.35, 95.31, 0), 0.2° (300.38, 104.73, 0), 180.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (32.35, 77.42, 0), 0.2° (32.38, 86.84, 0), 180.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (35.37, 135.69, 0), 210.2° (30.63, 127.55, 0), 30.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (42.1, 139.54, 0), 210.2° (37.36, 131.4, 0), 30.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (63.49, 157.36, 0), 240.2° (55.32, 152.68, 0), 60.2° |
| 24094, H0 Märklin C, Rail droit 9.42cm. | 9.42 | (75.91, 25.77, 0), 90.2° (85.33, 25.73, 0), 270.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (109.3, 89.41, 0), 0.2° (104.54, 107.42, 0), 150.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (121.88, 122.53, 0), 114.5° (136.26, 110.67, 0), 324.5° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (201.89, 113.66, 0), 210.2° (197, 95.67, 0), 0.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (201.89, 113.66, 0), 30.2° (215.11, 126.79, 0), 240.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (215.91, 60.56, 0), 120.2° (233.9, 55.68, 0), 270.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (215.91, 60.56, 0), 300.2° (202.78, 73.79, 0), 150.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (233.9, 55.68, 0), 90.2° (251.91, 60.44, 0), 240.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (251.91, 60.44, 0), 60.2° (265.14, 73.57, 0), 210.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (265.14, 73.57, 0), 30.2° (270.02, 91.55, 0), 180.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (38.32, 108.7, 0), 30.2° (51.54, 121.83, 0), 240.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (69.56, 126.59, 0), 270.2° (51.54, 121.83, 0), 60.2° |
| 24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30° | 18.85 | (91.41, 120.65, 0), 120.2° (104.54, 107.42, 0), 330.2° |

| | | |
|--|-------|---|
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (102.28, 52.12, 0), 114.5° (117.91, 45, 0), 294.5° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (127.77, 33.34, 0), 270.2° (110.6, 33.4, 0), 90.2° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (147.19, 95.34, 0), 144.5° (157.16, 81.36, 0), 324.5° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (184.55, 142.18, 0), 90.2° (201.72, 142.12, 0), 270.2° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (189.03, 33.12, 0), 270.2° (171.86, 33.18, 0), 90.2° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (212.16, 25.29, 0), 90.2° (229.33, 25.23, 0), 270.2° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (217.28, 33.02, 0), 90.2° (234.45, 32.96, 0), 270.2° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (72.45, 142.57, 0), 90.2° (89.62, 142.51, 0), 270.2° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (93.43, 33.46, 0), 270.2° (76.26, 33.52, 0), 90.2° |
| 24172, H0 Mrclin C, Rail droit 17.17cm. | 17.17 | (93.43, 33.46, 0), 90.2° (110.6, 33.4, 0), 270.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (190.18, 162.77, 0), 90.2° (209.01, 162.71, 0), 270.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (212.16, 25.29, 0), 270.2° (193.33, 25.36, 0), 90.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (215.23, 142.07, 0), 90.2° (234.06, 142, 0), 270.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (230.99, 136.15, 0), 240.2° (214.65, 126.79, 0), 60.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (233.66, 44.59, 0), 245.9° (216.47, 36.9, 0), 65.9° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (239.18, 148.7, 0), 270.2° (220.35, 148.76, 0), 90.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (24.66, 96.28, 0), 180.2° (24.6, 77.45, 0), 0.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (248.16, 25.16, 0), 270.2° (229.33, 25.23, 0), 90.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (250.85, 52.28, 0), 245.9° (233.66, 44.59, 0), 65.9° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (292.6, 95.34, 0), 180.2° (292.53, 76.51, 0), 0.2° |
| 24188, H0 Mrclin C, Rail droit 18.83cm. | 18.83 | (299.91, 95.31, 0), 180.2° (299.84, 76.48, 0), 0.2° |
| 24194, H0 Mrclin C, Rail de tlcommande courbe rayon 36cm, angle 15° | 9.42 | (170.57, 116.9, 0), 110.9° |

| | | | |
|---|-------|---|-----------------------------|
| | | | (178.84, 112.43, 0), 305.9° |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (115.04, 54.65, 0), 150.2° (117.39, 50.99, 0), 324.5° | |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (117.39, 50.99, 0), 144.5° (120.09, 47.58, 0), 318.8° | |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (171.05, 37.06, 0), 65.9° (174.93, 39.03, 0), 240.2° | |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (200.81, 77.66, 0), 155.9° (202.78, 73.79, 0), 330.2° | |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (230.99, 136.15, 0), 60.2° (234.87, 138.12, 0), 245.9° | |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (276.5, 87.72, 0), 5.9° (276.73, 92.06, 0), 180.2° | |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (36.32, 104.83, 0), 24.5° (38.32, 108.7, 0), 210.2° | |
| 24206, H0 Märklin C, Rail courbe rayon 43.75cm, angle 5.7° | 4.35 | (91.41, 120.65, 0), 300.2° (87.55, 122.65, 0), 114.5° | |
| 24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3° | 18.56 | (150.85, 76.86, 0), 324.5° (143.55, 93.76, 0), 168.8° | |
| 24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3° | 18.56 | (163.48, 85.86, 0), 324.5° (149.87, 98.27, 0), 120.2° | |
| 24229, H0 Märklin C, Rail droit 22.93cm. | 22.93 | (167.25, 162.85, 0), 270.2° (144.32, 162.93, 0), 90.2° | |
| 24229, H0 Märklin C, Rail droit 22.93cm. | 22.93 | (190.18, 162.77, 0), 270.2° (167.25, 162.85, 0), 90.2° | |
| 24229, H0 Märklin C, Rail droit 22.93cm. | 22.93 | (217.16, 162.68, 0), 90.2° (240.09, 162.6, 0), 270.2° | |
| 24229, H0 Märklin C, Rail droit 22.93cm. | 22.93 | (270.02, 91.55, 0), 0.2° (270.1, 114.48, 0), 180.2° | |
| 24229, H0 Märklin C, Rail droit 22.93cm. | 22.93 | (276.73, 92.06, 0), 0.2° (276.81, 114.99, 0), 180.2° | |
| 24229, H0 Märklin C, Rail droit 22.93cm. | 22.93 | (85.39, 163.14, 0), 90.2° (108.32, 163.06, 0), 270.2° | |
| 24229, H0 Märklin C, Rail droit 22.93cm. | 22.93 | (89.62, 142.51, 0), 90.2° (112.55, 142.43, 0), 270.2° | |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (115.04, 54.65, 0), 330.2° (109.26, 76.55, 0), 180.2° | |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (191, 54.99, 0), 210.2° (174.93, 39.03, 0), 60.2° | |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (193.12, 94.85, 0), 335.9° (178.84, 112.43, 0), 125.9° | |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (196.93, 76.84, 0), 180.2° (191, 54.99, 0), 30.2° | |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (24.7, 105.7, 0), 0.2° (30.63, 127.55, 0), 210.2° | |

| | | |
|---|-------|---|
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (248.63, 32.91, 0), 90.2° (270.53, 38.7, 0), 240.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (250.85, 52.28, 0), 65.9° (268.42, 66.56, 0), 215.9° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (261.95, 156.66, 0), 300.2° (240.09, 162.6, 0), 90.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (270.53, 38.7, 0), 60.2° (286.6, 54.65, 0), 210.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (270.89, 142.72, 0), 300.2° (249.04, 148.66, 0), 90.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (274.74, 136, 0), 300.2° (252.89, 141.94, 0), 90.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (276.5, 87.72, 0), 185.9° (268.42, 66.56, 0), 35.9° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (292.53, 76.51, 0), 180.2° (286.6, 54.65, 0), 30.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (294.6, 126.63, 0), 150.2° (300.38, 104.73, 0), 0.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (32.67, 77.42, 0), 180.2° (38.45, 55.52, 0), 330.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (38.45, 55.52, 0), 150.2° (54.41, 39.45, 0), 300.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (50.55, 136.78, 0), 60.2° (72.45, 142.57, 0), 270.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (54.41, 39.45, 0), 120.2° (76.26, 33.52, 0), 270.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (63.49, 157.36, 0), 60.2° (85.39, 163.14, 0), 270.2° |
| 24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30° | 22.91 | (76.35, 149.27, 0), 270.2° (54.45, 143.48, 0), 60.2° |
| 24236, H0 Märklin C, Rail droit 23.61cm. | 23.61 | (163.48, 85.86, 0), 144.5° (177.19, 66.64, 0), 324.5° |
| 24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30° | 26.97 | (24.6, 77.45, 0), 180.2° (31.41, 51.67, 0), 330.2° |
| 24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30° | 26.97 | (248.16, 25.16, 0), 90.2° (273.94, 31.97, 0), 240.2° |
| 24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30° | 26.97 | (273.94, 31.97, 0), 60.2° (292.85, 50.76, 0), 210.2° |
| 24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30° | 26.97 | (292.85, 50.76, 0), 30.2° (299.84, 76.48, 0), 180.2° |
| 24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30° | 26.97 | (50.19, 32.76, 0), 300.2° (31.41, 51.67, 0), 150.2° |
| 24330, H0 Märklin C, Rail courbe rayon 51.5cm, angle 30° | 26.97 | (75.91, 25.77, 0), 270.2° (50.19, 32.76, 0), 120.2° |

| | | |
|--|-------|---|
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (108.32, 163.06, 0), 90.2° (144.32, 162.93, 0), 270.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (112.35, 149.14, 0), 90.2° (148.35, 149.01, 0), 270.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (140.71, 122.46, 0), 114.5° (173.47, 107.53, 0), 294.5° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (148.35, 149.01, 0), 90.2° (184.35, 148.89, 0), 270.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (148.55, 142.3, 0), 270.2° (112.55, 142.43, 0), 90.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (157.16, 81.36, 0), 144.5° (178.07, 52.06, 0), 324.5° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (157.33, 25.48, 0), 270.2° (121.33, 25.61, 0), 90.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (171.76, 47.55, 0), 324.5° (150.85, 76.86, 0), 144.5° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (184.55, 142.18, 0), 270.2° (148.55, 142.3, 0), 90.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (193.33, 25.36, 0), 270.2° (157.33, 25.48, 0), 90.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (196.38, 126.14, 0), 270.2° (160.38, 126.27, 0), 90.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (220.35, 148.76, 0), 270.2° (184.35, 148.89, 0), 90.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (57.75, 94.38, 0), 138.5° (81.6, 67.42, 0), 318.5° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (76.35, 149.27, 0), 90.2° (112.35, 149.14, 0), 270.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (78.35, 63.02, 0), 294.5° (45.59, 77.95, 0), 114.5° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (83.84, 69.01, 0), 330.5° (66.12, 100.35, 0), 150.5° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (85.33, 25.73, 0), 90.2° (121.33, 25.61, 0), 270.2° |
| 24360, H0 Märklin C, Rail droit 36cm. | 36 | (86.36, 70.11, 0), 342.5° (75.54, 104.44, 0), 162.5° |
| 24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel) | 37.39 | (121.88, 122.53, 0), 294.5° (103.89, 126.47, 0), 90.2° (122.72, 126.4, 0), 270.2° |
| 24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel) | 37.39 | (135.04, 37.19, 0), 294.5° (120.27, 48.18, 0), 138.8° (117.91, 45, 0), 114.5° |
| 24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel) | 37.39 | (140.71, 122.46, 0), 294.5° (122.72, 126.4, 0), 90.2° |

| | | |
|--|-------|---|
| | | (141.55, 126.33, 0), 270.2° |
| 24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel) | 37.39 | (153.03, 33.25, 0), 270.2° (135.04, 37.19, 0), 114.5° (134.2, 33.31, 0), 90.2° |
| 24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel) | 37.39 | (160.38, 126.27, 0), 270.2° (141.55, 126.33, 0), 90.2° (159.54, 122.39, 0), 294.5° |
| 24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel) | 37.39 | (36.32, 104.83, 0), 204.5° (32.45, 105.67, 0), 180.2° (32.38, 86.84, 0), 0.2° |
| 24611, H0 Märklin C, Aiguillage gauche 18.83cm. (manuel) | 37.39 | (87.55, 122.65, 0), 294.5° (88.39, 126.52, 0), 270.2° (69.56, 126.59, 0), 90.2° |
| 24612, H0 Märklin C, Aiguillage droit 18.83cm. (manuel) | 37.39 | (153.03, 33.25, 0), 90.2° (171.86, 33.18, 0), 270.2° (171.05, 37.06, 0), 245.9° |
| 24612, H0 Märklin C, Aiguillage droit 18.83cm. (manuel) | 37.39 | (198.45, 33.09, 0), 90.2° (217.28, 33.02, 0), 270.2° (216.47, 36.9, 0), 245.9° |
| 24612, H0 Märklin C, Aiguillage droit 18.83cm. (manuel) | 37.39 | (234.06, 142, 0), 90.2° (234.87, 138.12, 0), 65.9° (252.89, 141.94, 0), 270.2° |
| 24620, H0 Märklin C, Traversée-jonction double 18.83cm. (manuel) | 74.75 | (196.93, 76.84, 0), 0.2° (193.12, 94.85, 0), 155.9° (200.81, 77.66, 0), 335.9° (197, 95.67, 0), 180.2° |
| 24630, H0 Märklin C, Aiguillage triple 18.83cm. (manuel) | 55.94 | (147.19, 95.34, 0), 324.5° (136.26, 110.67, 0), 144.5° (149.87, 98.27, 0), 300.2° (143.55, 93.76, 0), 348.8° |
| 24671, H0 Märklin C, Aiguillage enroulé gauche 30° (manuel) | 45.45 | (283.22, 138.7, 0), 330.2° (270.09, 151.92, 0), 120.2° (289.92, 134.8, 0), 330.2° |
| 24671, H0 Märklin C, Aiguillage enroulé gauche 30° (manuel) | 45.45 | (37.33, 123.65, 0), 210.2° (32.45, 105.67, 0), 0.2° (37.36, 131.4, 0), 210.2° |
| 24671, H0 Märklin C, Aiguillage enroulé gauche 30° (manuel) | 45.45 | (50.55, 136.78, 0), 240.2° (37.33, 123.65, 0), 30.2° (54.45, 143.48, 0), 240.2° |
| 24672, H0 Märklin C, Aiguillage enroulé droit 30° (manuel) | 45.45 | (287.87, 122.77, 0), 330.2° (274.74, 136, 0), 120.2° (270.89, 142.72, 0), 120.2° |
| 24672, H0 Märklin C, Aiguillage enroulé droit 30° (manuel) | 45.45 | (292.63, 104.76, 0), 0.2° (287.9, 130.52, 0), 150.2° |

| | | |
|--|-------|--|
| | | (287.87, 122.77, 0), 150.2° |
| 24672, H0 Mrklin C, Aiguillage enroul droit 30° (manuel) | 45.45 | (55.32, 152.68, 0), 240.2° (42.1, 139.54, 0), 30.2° (35.37, 135.69, 0), 30.2° |
| 74861, H0 Mrklin C, Plaque tournante diamtre 38.2cm. | 26.3 | (96.99, 68.9, 0), 210.5° (78.35, 63.02, 0), 114.5° (94.27, 45.03, 0), 342.5° (99.2, 67.26, 0), 222.5° (79.75, 65.39, 0), 126.5° (101.02, 65.21, 0), 234.5° (77.17, 57.68, 0), 90.5° (103.16, 54.72, 0), 282.5° (77.48, 60.42, 0), 102.5° (81.43, 47.87, 0), 42.5° (81.6, 67.42, 0), 138.5° (88.83, 44.5, 0), 6.5° (78.26, 52.33, 0), 66.5° (103.47, 57.45, 0), 270.5° (96.79, 46.12, 0), 330.5° (103.2, 60.19, 0), 258.5° (79.61, 49.93, 0), 54.5° (102.38, 62.81, 0), 246.5° (86.14, 45.1, 0), 18.5° (102.28, 52.12, 0), 294.5° (99.03, 47.72, 0), 318.5° (100.89, 49.75, 0), 306.5° (91.58, 44.48, 0), 354.5° (83.84, 69.01, 0), 150.5° (86.36, 70.11, 0), 162.5° (83.64, 46.24, 0), 30.5° (77.43, 54.95, 0), 78.5° (89.06, 70.66, 0), 174.5° (91.81, 70.63, 0), 186.5° (94.49, 70.04, 0), 198.5° |